Form 3160-5

DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

M APPROVED BUDGET BUREAU NO. 1004-0135

EXPIRES: MARCH 31, 1993

5. Lease Designation and Serial No.

U-013792 If Indian Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a

To the total time to the proposals to arm of to	o. Il liidiali, Allottee di Tibe Nallie	
different reservoir. Use "APPLICATION FOR I	sals	
SUE		
Type of Well		7. If Unit or CA, Agreement Designation
[] Oil Well [X] Gas Well [] Other		River Bend Unit
2. Name of Operator		8. Well Name and No.
CNG Producing Company		RBU 15-10E
3. Address and Telephone No.		9. API Well No.
1450 Poydras St., New Orleans, LA 70112-6	5000 (504) 593-7000	
Location of Well (Footage, Sec., T., R., M.,	or Survey Description)	10. Field and Pool, or Exploratory Area
1839' FEL & 663' FSL of Section 10, T10S,	, R19E	Island
		11. County or Parish, State
		Uintah, Utah
CHECK APPROPRIATE BOX(S) TO INDICATE NATURE	OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	Т	YPE OF ACTION
[] Notice of Intent	[] Abandonment	[] Change of Plans
	[] Recompletion	[] New Construction
[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing
	[] Casing Repair	[] Water Shut-Off
[] Final Abandonment Notice	[] Altering Casing	[] Conversion to Injection
	[X] Other – Variance	[] Dispose Water
	in casing	(Note: Report results of multiple
		completion on Well Completion or
		Recompletion Report and Log form.)
Describe Proposesd or Completed Operati	ons (Clearly state all pertin	ent details, and give pertinent dates, including
estimated date of starting any proposed wor	k. If well is directionally dr	illed, give subsurface locations and measured
and true vertical depths for all markers and :	zones pertinent to the work	(.)*

Under Onshore Order #2, casing and cementing requirements, it states" All casing, except the conductor casing, shall be new or reconditioned and tested used casing that meets or exceeds API standards for new casing" the 8 5/8" 24# surface casing designed for this well and other wells in the River Ben Unit meets all of the above criteria for the order. The 8 5/8: casing is a limited service pipe which means it does meet API standards. However, the pipe is new and was Hydro statically tested to 2,700 PSI which equals API standards for 8 5/8" 24# K-55 casing.

We respectfully submit this Sundry and attached letter from the company the pipe was purchased from.

If any additional information is needed, please advise.

CON	FID	EN	11	ÀL

14. I hereby o	ertify that the forgoing is	true and correc	ct	
Signed	Doss R. Bourgeois	Title Superv	visor, Drilling Eng Date 11-4-1991	
(This space	of for Federal or State office	e use)		
Approved b	у	Title	Date	
Conditions	of approval, if any:			

Title 18 U.S.C. Sesction 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SELF-CERTIFICATION STATEMENT


Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

"Please be advised that <u>CNG Producing Company</u> is considered to be the operator of Well <u>No. 15-10E SW 1/4 of SE 1/4 Section 10, Township 10S, Range 19E; Lease U-013792; Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by <u>American Casualty Company of Reading, PA</u>, Bond #524 7050.</u>


R. S. Gloger

Drilling Manager

BOP STACK



CHOKE MANIFOLD



November 4, 1991

Mr. Ed Forsam U.S. Department of the Interior Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: River Bend Unit

> Application for Permit to Drill River Bend Unit 15-10E

Section 10 T10S-R19E

Attachment No. 1



NOV 0 6 1991

DIVISION OF OIL, GAS & MINING

Gentlemen:

CONFIDENTI Enclosed please find original and two copies of the subject applications. application includes the following:

Location Attachment No. 2 Certification Statement Attachment No. 3 **BOP Stack Schematic** Attachment No. 4 Drilling Plan Attachment No. 5 13 Point Surface Use Plan

Attachment No. 6 Water Source and Access Route

Attachment No. 7 Water Permit

CNG PRODUCING COMPANY is requesting all information be held confidential.

It would be appreciated if this permit could be expedited since drilling is planned to begin on January 15, 1992.

Should you have any questions please feel free to contact either myself at (504) 593-7260 or the project engineer, Doss Bourgeois at (504) 593-7719.

Very truly yours.

Susan M. Hebert,

Regulatory Reports Asst. II

Susan M. Hebert 104


Enclosure

Form 3160-3					Form approved.	
(November 1983)		UNITED STATES (Other instruction on reverse side)				04-0136
√(fermerly 9–331C)		on reverse	e side)	Expires August 31, 198		
	HE INTERIOR			5. LEASE DESIGNATIO	N AND SERIAL	
	BUREAU OF LAND M	IANAGEMENT			U-013792	
	ON FOR PERMIT TO DR	ILL, OF THE WORL	LUG BACK		6. IF INDIAN, ALLOTTE	E OR TRIBE NA
1a. TYPE OF WORK		ME				
DRILL [X]	DEEPEN []	PLOG BACK[]			7. UNIT AGREEMENT	VAME
b. TYPE OF WELL			0 6 1991		River Bend Unit	
OIL WELL [] GAS WELL [X]	OTHER	SINGLE ZONE []	MULTIPLE	ZONE[]	8. FARM OR LEASE NA	ME
2. NAME OF OPERATOR		DIVIS	ION OF		RBU	
CNG Producing Compar	ıy	OIL, GAS		^	9. WELL NO.	
3. ADDRESS OF OPERATOR				u	15-10E	
CNG Tower – 1450 Poyo	dras Street, New Orle	eans, LA 70112-	6000		10. FIELD AND POOL, (OR WILDOAT (.
4. LOCATION OF WELL (Report	location clearly and in a	ccordance with any	State require	ements *)	- Island Nature	
At surface	·			•o	11. SESC., T., R., M., O	<u>u truus</u>
1839' FEL & 663'FSL Se	ction 10, T10S,R19E				AND SURVEY OR AF	
At proposed prod. zone	, ,		SWSE		ľ	ICA
14. DISTANCE IN MILES AND D	IRECTION FROM NEAR	REST TOWN OR PO	ST OFFICE*		10-T10S-R19E	T40 0747
10 miles SW of Oray					12. COUNTY OR PARIS	4
15. DISTANCE FROM PROPOSI	ED*	16 NO OF ACRE	EQINIEACE	17 NO OF	Uintah ACRES ASSIGNED	Utah
LOCATION TO NEAREST		To. No. of Aora	-0 III LLAGE	TO THIS		
PROPERTY OR LEASE LINE,	FT.			10 11113	AAETT	
(Also to nearest drlg. unit line		1642.20			80	
18. DISTANCE FROM PROPOSE		19. PROPOSED I	DEPTH	20 BOTAR	Y OR CABLE TOOLS	
TO NEAREST WELL, DRILLIN	IG, COMPLETED,			Lo. HOTAII	OR CABLE TOOLS	
OR APPLIED FOR, ON THIS L		7,750' 2	TT C		Rotary	
21. ELEVATIONS (Show whether	DF, RT, GR, etc.)	THE WITCH			22. APPROX. DATE WO	DICAMILL OTABT
5076' GR	•					
23.	PROPOSED CASING	AND CEMENTING I	PROGRAM		January 15, 1992	
SIZE OF HOLE SIZE OF CASING	WEIGHT PER FOOT		1.00.0.0		QUANTITY OF CEMENT	
12 1/4" 8 5/8"	24#	+/- 400	Cemer	nt to Surface	Δ	
7 7/8" 5½" 1. Drill a 12 ¼" hole with an	17#	+/-7.750	Cemer	tealoto Si	ırface	
1. Drill a 12 1/4" hole with an	air rig to 400' run a	8 5/8" H_40 cc	eing and o		TINE	1 T 1 A 1
2. NU and pressure test BO	P stack (Attachment	#2\ prior to drillin	asing and o	Cilient to se	Mabe.	ITIAL
3. Operate pipe rams daily a	and blind rame as not	mej prior to urillir	g out below	v surrace pi	pe	I I I I I I I
4 Drill a 7 7/8" hole to 7 75/	niu biniu rams as pos	Solute.				
4. Drill a 7 7/8" hole to 7,750	o will a sait water m	iua system. No d	cores are pl	lanned. DS	T's will be run as	
needed to evaluate unex						
5. Run logs, set 5 1/2", 17#	N 80 & K-55 casing	as dictated by dr	illing shows	s, test, and	logs. Casing	
program may be modified	I to provide added bu	ırst strength if ne	eded for fra	ac program	•	
6. Primary zones of interest	are the Wasatch, Ch	apita Wells & Ute	land Butte	s.		
7. All zones indicating poten	tial for economically	recoverable rese	rves will be	tested in a	normal.	
prudent manner.						
8. In the event of lost circula	tion, air or air assiste	d mud will be uti	lized.			
FORMATION TOPS	DEPTHS					
Wasatch	4,850'			\sim)NFIDENTIAL	
Chapita Wells	5,550'			U	MALINEMAIN	
Uteland Buttes	6,650'					
· · ·	•					
CNG Producing Company res	Spectfully requests the	at all information	concerning	g this well b	e held confidential.	
IN ABOVE SPACE DESCRIBE PR proposesd new productive zone. I verticle depths. Give blowout prev 24.	f proposal is to drill or de	epoposal is to deep epon directionally.	en or plug ba	ack, give data	on present productive zo	one and
24.	renter program, if any.			APPROV		
SIGNED SIGNED	Courses	TITLE S	Supervisor,	Drig Eng	AH DIVISION O	
Doss H. Bourge				OIE, C	ias, a<u>n</u>d minin t	ATÉ 11/4/91
(This space for Federal or State of PERMIT NO. リコーハレー	ice use)	PPPOVAL DATE	T	DATE:	11-1-912	
APPROVED BY		PPROVAL DATE		34	TOWN Att Walls	Are
CONDITIONS OF APPROVAL,		-		<u> </u>	A CINA / ITO	_ 3
Title 4011 0 0 0 0	*See Instructions O			NELL SP.	AUING: LACE	
Title 18 U.S.C. Section 1001, make	s it a crime for any nere	on knowingly and w	احجم مع براليراان			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States an false fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CNG PRODUCING CO WELL LOCATION PLAT RBU 15-10E

LOCA IN THE SW OF THE SE OF SECTION 10, T10S, R19E, S.L.B.& M.



LEGEND & NOTES

◆ Original monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. map.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

> Jerry D. Allred, Registered Land Surveyor, Cert. No. 3817 (Utah)



JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-5352

DRILLING PLAN APPROVAL OF OPERATIONS

November 1, 1991

Attachment for Permit to Drill

Name of Operator: CNG PRODUCING COMPANY

Address:

CNG TOWER - 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

WELL LOCATION:

Well No. 15-10E

Unitah, Utah

1. GEOLOGIC SURFACE FORMATION

Unitah

2. ESTIMATE IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	4300'
Green River Tongue	4700'
Wasatch	4850'
Chapita Wells	5550'
Uteland Buttes	6650'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	Remarks
Wasatch Tongue	4300'	Oil Zone
Chapita Wells	5550'	Gas Zone
Uteland Buttes	6650'	Gas Zone

4. PROPOSED CASING PROGRAM

8-5/8", 24#/ft, H-40, 0'-400' - Cemented to Surface 5½", 17#/ft, N-80 & K-55, 0'- 7750' - Cemented to Surface

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

See Attachment No. 2, Attached.

BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 3,000 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

6. The well is to be drilled with a Potassium Chloride mud system maintaining a weight of approximately 9#/gal.

River Bend Unit 15-10E November 1, 1991

7. AUXILIARY EQUIPMENT TO BE USED

- 1. Kelly Cock.
- 2. Full opening valve on floor with DP connection for use when Kelly is not in string.
- 3. Pit volume totalizer equipment will be used.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud logger will be used from 3,000' to TD. Possible DST in Wasatch Tongue. The logging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500' possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain ${}^{\rm H}_2{}^{\rm S}$ gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

- A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in Section 17-T10S-R20E. Application #54801 User's Claim Code #49, Serial #801.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.
- C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

Lead Slurry - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Tail Slurry - 335 sk RFC 10-0 (thixotopic).

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: January 15, 1992

Duration: 20 Days

Date	NOS	Received:	!

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/O	per	ator: CNG PRODUCING COMPANY
Well Name	& 1	Number: RBU 15-10E
Lease Numl	ber	:U-013792
Location:	SW	/4 OF SE/4 Sec. 10 T. 10S R. 19E
Surface O	wne	rship: Bureau of Land Management
		NOTIFICATION REQUIREMENTS
Location Construction	on	 forty-eight (48) hours prior to construction of location and access roads.
Location Completion	_	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well.
Casing String and Cementing	-	twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related Equipment Tests		twenty-four (24) hours prior to initiating pressure tests.
First Production Notice	_	within five (5) business days after new well begins or production resumes after well has been off production

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

for more than ninety (90) days.

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

- Existing Roads describe the following and provide a legible map, labeled and showing:
 - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
 - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - Access road(s) to location color-coded or labeled.
 - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)
- 2. <u>Planned Access Roads</u>—describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:

a.	Length
b.	Width - 30 foot right-of-way with 18 foot running surface maximum.
c.	Maximum grades - 8%
d.	Turnouts -
e.	Drainage design - Bar Pits

- f. Location and size of culverts and/or bridges, and brief description of any major cuts and fills -
- g. Surfacing material (source) <u>Native</u>
- h. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - ______

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

 Right-of-Way Application needed.							
 The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.							

- 3. <u>Location of Existing Wells</u> describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:
 - a. Water wells
 - b. Abandoned wells
 - c. Temporarily abandoned wells
 - d. Disposal wells
 - e. Drilling wells
 - f. Producing wells
 - g. Shut-in wells
 - h. Injection wells

4. Location of Existing and/or Proposed Facilities

- a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):
 - (1) Tank batteries
 - (2) Production facilities
 - (3) Oil gathering lines
 - (4) Gas gathering lines
 - (5) Injection lines
 - (6) Disposal lines
 - (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

- b. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)
 - (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
 - (2) Dimensions of facilities
 - (3) Construction methods and materials
 - (4) Protective measures and devices to protect livestock and wildlife

Note: Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank	batteries	will	be	placed	on	the	Northwest	Corner	

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match on of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The	require	d paint	color	is	Desert Tan
-----	---------	---------	-------	----	------------

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC # 1
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state.

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- a. Show information either on map or by written description -
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.

*If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.

*A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
 - (1) Cuttings
 - (2) Sewage
 - (3) Garbage (trash) and other waste material
 - (4) Salts
 - (5) Chemicals

*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

The reserve pit (shall not) be lined.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

- X To protect the environment.
 - If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.
- \underline{X} To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

____ Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. **Ancillary Facilities** Camp facilities or airstrips will not be allowed unless otherwise approved. 9. Well Site Layout -- provide a plat (not less than 1" = 50') showing: Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography. Location of mud tanks, reserve, and flare pits, pipe racks, living b. facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.) Rig orientation, parking ares, and access roads, etc. The reserve pit will be located on the : Southeast Corner The flare pit will be located downwind of the prevailing wind direction on the South

a minimum of 100 feet from the well head and 30 feet from the reserve

Fencing Requirements

avoid the ____

pit fence.

All pits will be fenced according to the following minimum standards:

narrow for topographic reasons

a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

CONFIDENTIAL

The reserve pit and/or pad location shall be constructed long and

_____ corner of the well pad will be rounded off to

- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times. This will be done when pit is shrunk for production purposes.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

a. Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.



Contact appropriate surface management agency for required seed mixture.

b. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11. Surface Ownership:

Access Road:	Bureau of Land Management
Location:	

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

12. Other Additional Information

a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible to mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- b. The operator will control noxious weeds along right-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- c. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

On BIA administered land:

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb salable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights ar owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.



All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations

	No construction or drilling activities shall be conducted between and because of
	No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.
	No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.
	There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).
	No cottonwood trees will be removed or damaged.
<u>x</u>	A silt catchment pond and basin will be constructed according to BLM specifications approximately ft. Northwest of the location, where flagged.
13.	Lessee's or Operators Representative and Certification
	Representative
	Name:
	Address:
	Phone No:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.


The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty-eight (48) hours prior to construction activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.


Certification:

I hereby certify that I, or	persons under my direct supervision, have
inspected the proposed drillsi	te and access route; that I am familiar with
	exist; that the statements made in this plan
are true and correct to the	best of my knowledge; and, that the work
	proposed here will be performed by
CNG PRODUCING COMPANY	
	and its
	in conformity with this plan and the terms
	is approved. This statement is subject to
the provisions of 18 U.S.C. 10	01 for the filing of a false statement.
	Doss R. Bourgeois Supervisor, Drlg. Eng.
November 1, 1991	Call Lingles Supervisor, Drlg. Eng.
Date	Name and Title
Onsite Date: October 24, 1991	
Participants on Joint Inspecti	on
rarerepaires on borne mapeet	<u>on</u>
Greg Darlington	National Res. Prot. Service
Darwin Kulland	Manager Production
POLITAII INCAANIN	manager frounction

CNG PRODUCING CO WELL LAYOUT PLAT RBU 15-10E



Located in the SW/4 of the SE/4 of Section 10, TIOS, RIGE, S.L.B. + M. ocation Surface Reserve Pil 1"= 50 STA. 3+00 Location WELL HOLE Reserve Pit 1"= 50" STA. 1+60



APPROXIMATE QUANTITIES


CUT: 9200 yd3 (includes pit) FILL: 2100 yd3


11 Oct '91 79-128-207



JERRY D. ALLRED & ASSOCIATE Surveying & Engineering Consultants

121 North Center Street
P.O. Drewer C
DUCHEBNE, UTAH 84021
1 (801) 736-8362





STATE OF UTAH For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of 1. Irrigation Domestic Stockwatering Municipal Power Mining Other Uses X 2. The name of the applicant is MAPON The Production Co 3. The Post Office:address:of the applicancis P.D. Box 1360 Property Witch 84066 4. The quantity of water to be appropriated 015 ___second-feer-and/or_ 5. The water is to be used for OII Well Drilling acre-feet from January December 1 ×(Major Eurpea to. *(Month) (Day) other use period. (Month) (Day) (Minor Purpose) OT. (Month) and stored each year (if stored) from (Day) (Month) (Day) January to December 6. The drainage area to which the direct source of supply belongs is (Day) (Month) 7. The direct source of supply is* Underground water from Green River Formation (Name of stream or other source) which is tributary to. "Note.—Where weser is so be diverted from a well, a tunnel, or drain, the source should be designated as "Underground spaces and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate, even the stream channels to which it is tributary, even there and, the direct source should be designated as a stream and not a spring flows in a natural surface channels. first space and the remaining spaces at space, group its name, if named, and it may sink, evaporate, or be diverted be diverted, the direct source should be de 8. The point of diversion from the source is in. Center SE of NV Section 17.710 s R20 E County, situated at a point 1900' Webba' Alle ca Deax "Mota,—The point of diversion must be located definitely by course and distance or by giving the distance north or south, and east or west with reference to a United States land survey corner or United States numeral monument. If within a distance of six must of either, or of at a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the point of diversion is not defined definitely. 9. The diverting and carrying works will consist of A 7 5/8" well and 2500' deep If water is to be stored, give capacity of reservoir in acre-feet ... height of dam_ legal subdivision of area inundated SE of 7105 11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows: 12. Is the land owned by the applicant? Yes..... Total Acres No X If "No," explain on page 2. 15. Is this water to be used supplementally with other water rights? If "yes," identify other water rights on page 2. Yes No X 14. If application is for power purposes, describe type of plant, size and rated capacity..... 15. If application is for mining, the water will be used in Mining District at mine, where the following ores are mined. 16. If application is for stockwatering purposes, number and kind of stock watered 1000 17. If application is for domestic purposes, number of persons, 18. If application is for municipal purposes, name of municipality.... _____ or families ... 19. If application is for other uses, include general description of proposed uses Drilling Riverhend This weil by MAPOD. 79+ 105 R19+ 20 E 20. Give place of use by legal subdivision of the United States Land Survey for all uses described in para-The use of water as set forth in this application will consume second feet and/or aerefeet or water and second feet and/ or acre feet will be returned to the natural 21.

stream or source at a point described as follows:

of Land Management and has their ap	Government and and strated by the Bureau
the B.L.M.	ill use the excess Id life t stock watering
water for w:	Id like + Strate
	STOCK WATER, NO
	• •
:	
	·
(77	
The quantity of water rough	f additional explanatory is needed.)
can be beneficially	ht to be appropriated is limited to that which used for the purpose herein described
	Standard of Applicant
by its proper officer, or in the name of the partner	ization, signature must be the name of such corporation or organization rahip by one of the partners, and the names of the other partners shall ideavit below need not be filled in. If there is more than one applicant
a power of attorney, authorizing one to act for a	rship by one of the partners, and the names of the other partners shall fldavit below need not be filled in. If there is more than one applicant, it, should accompany the Application.
DECLAR	RATION OF CITIZENSHIP
STATE OF UTAH.	THE CITIZENSHIP
On the day of day of motary public for the State of Utah, the above agor has declared his intention to become such a citi	ppicant who, on oath, deciared that he is a citizen of the United States.
My commission expires:	
aug 7, 1982.	
(SEAL)	Notary Public
•	11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	S " " " " " " " " " " " " " " " " " " "

DPERATOR [NG Producing Co N-0605. DATE 011-7-9]	
VELL NAME RBI) 15-10E	•.1
SEC SWSF 10 T 105 R 14E COUNTY Wintah	•
43-047-30139 tedual (1) APT NUMBER TYPE OF LEASE	• •
CONFIDENTIAL	Ì
	
PLAT. NEAREST WELL	•
LEASE . FIELD POTASH OR OTL SHALE	·
PROCESSING COMMENTS: Uncluded in 91 Supplemental POP appealed 10-1-91.	
Water Pierret included en file	• .
	•
APPROVAL LETTER:	
SPACING: R615-2-3 Rule Bind R515-3-2	
R615-3-3	.
CAUSE NO. & DATE	
STIPULATIONS:	
•	
	. <i>a</i>
_0218T	



Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

November 7, 1991

CNG Producing Company CNG Tower - 1450 Poydras Street New Orleans. Louisiana 70112-6000

Gentlemen:

Re: RBU 15-10E Well, 663 feet from the south line, 1839 feet from the east line, SW 1/4 SE 1/4, Section 10, Township 10 South, Range 19 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 615-2-3, and Utah R. 615-3-4, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

- 1. Compliance with the requirements of Utah Admin. R. 615-1 et seq., Oil and Gas General Rules.
- 2. Notification within 24 hours after drilling operations commence.
- 3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
- 4. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
- 6. Compliance with the requirements of Utah Admin. R. 615-3-20, Gas Flaring or Venting, if the well is completed for production.

Page 2 CNG Producing Company RBU 15-10E Well November 7, 1991

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32139.

Sincerely,

Associate Director, Oil and Gas

ldc

Enclosures

CC:

Bureau of Land Management

J.L. Thompson

WOI1

LINITED STATES DEPARTME OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Ĭ	FORM APPROVED
,	BUDGET BUREAU NO. 1004-0135
	EXPIRES MARGILIA ACCE

EXPIRES: MARCH 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND RE	Lease Designation and Serial No. U-013792	
or the use this form for proposals to drill or to		
different reservoir. Use "APPLICATION FOR	6. If Indian, Allottee or Tribe Name	
SUB:		
i à he di AAGII		7 1611-10 00 0
[] Oil Well [X] Gas Well [] Other		7. If Unit or CA, Agreement Designation
2. Name of Operator		River Bend Unit
CNG PRODUCING COMPANY		8. Well Name and No. 15-10E
3. Address and Telephone No.		9. API Well No.
CNG Tower - 1450 Poydras Street, New C	Prleans, LA 70112-6000	
The state of the s	a= C	43-047-32139
Surface - 663' FSL & 1,839' FEL of Sec. 1	0-T10S-R19E	 Field and Pool, or Exploratory Area Island
		11. County or Parish, State
CHECK APPROPRIATE BOX(6) TO INDICATE NATURE OF N	Uintah, Utah OTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TVD	E OF ACTION
[] Notice of Intent	[] Abandonment	
	[] Recompletion	[] Change of Plans
[X] Subsequent Report	[] Plugging Back	[] New Construction
	I Casina Pannin	[] Non-Routine Fracturing
[] Final Abandonment Notice	[] Altering Casing	[] Water Shut-Off
	[X] Other – Amend Drilling	[] Conversion to Injection
	Permit	[] Dispose Water
	· Ellin	(Note: Report results of multiple
		completion on Well Completion or
13. Describe Proposed or Completed Operation including estimated date of starting any propand measured and true vertical depths for a CNG Producing Company respectfully reque to reflect surface casing set at a depth of 35	Il markers and zones pertinent	lly drilled, give subsurface locations
If you have any questions or need any additi at (504) 593–7260.	:	
± (304) 333-7260.	•	DIS (CICINVISIN)
		250 2 2 400
		DEG 0 9 1991
	12-17-91	
	12-12-9/ JAN attheus	DIVISION OF
4. I hereby certify that the forgoing is true and	Si i parcheus	OIL GAS & MINING
the long is true and	correct	
Signed Liss Surger Title 5	Supervisor, Drilling Eng. Date	December 3 1991
(This space for Federal or State office use)		
Approved by Title		
Conditions of approval, if any:	Date	
tle 18 U.S.C. Continue 4004		
tle 18 U.S.C. Section 1001, makes it a crime for gency of the United States any false, fictitious o	rany person knowingly and will	fully to make to any danger
gency of the United States any false, fictitious of this jurisdiction.	r fraudulent statements or repre	esentations as to any ment or
Janaanon.		matter

Form 3160-3				SUBMIT IN	TRIPLICATE	Form approved.	
(November 19	•			(Other instr		Budget Bureau No. 100	
(formerly 9-33	110)	UNITED ATES	E INTERIOR	on reverse		Expires August 31, 198	
•		DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT				5. LEASE DESIGNATIO	N AND SERIAL N
	APPLICATIO	N FOR PERMIT TO DRI		LUC BACK		U-013792	
1a. TYPE OF		INTORFERINIT TO DAI	EL, DEEPEN, ON F	LUG BACK		6. IF INDIAN, ALLOTTE	E OR TRIBE NA
14. 111 2 01	DRILL [X]	DEEPEN []	PLUG BACK[]			7 11117 107	
b. TYPE OF		DEEL FIA ()	FLUG BACK[]			7. UNIT AGREEMENT N	IAME
] GAS WELL [X]	OTHER	SINGLE ZONE []	MULTIDLE	70NE ()	River Bend Unit	
2. NAME OF		OTHER	SINGLE ZONE []	MULTIFLE	ZONE[]	8. FARM OR LEASE NA	ME
	oducing Company	v				RBU	
	OF OPERATOR	<u> </u>				9. WELL NO.	
		roo Ctroot Now Orlo	I A 7044 0 -4			15-10E	
4 LOCATION	OF WELL (Describe	ras Street, New Orle	ans, LA (01.72-)	POO!	ashi l	10. FIELD AND POOL, (OR WILDCAT
4. LOCATION At surface	OF WELL (Heport I	ocation clearly and in a	ccordance with any	State Tequin		Island	
	1 9 662'501 000	tion 10 T100 D105	Jan Gar	TO 0 0 45	131	11. SESC., T., R., M., O	
		tion 10, T10S,R19E	212 - U	EC 20 19) l	AND SURVEY OR AR	EA
At proposed	prod. zone	43-	017-3213	79		10-T10S-R19E	
14. DISTANCE	E IN MILES AND DI	RECTION FROM NEAR	EST TOWN OR PO	at refere	F:	12. COUNTY OR PARIS	13. STATE
	011 01 01 dy					Uintah	Utah
	FROM PROPOSE	D*	16. NO. OF ACRE	STAVLEASE		ACRES ASSIGNED	
	TO NEAREST				TO THIS	WELL	
	OR LEASE LINE, I						
	rest drlg. unit line if		1642.20			80	
	ST WELL, DRILLING		19. PROPOSED D	DEPTH	20. ROTARY	OR CABLE TOOLS	
	D FOR, ON THIS L		7 750				
	NS (Show whether		7,750'		<u> </u>	Rotary	
5076' GF		Dr, nr, Gr, etc.)			Ì	22. APPROX. DATE WO	
23.	1	DDODOCED CACINO	ND OF VENTURE			January 15, 1992	
	SIZE OF CASING	PROPOSED CASING A WEIGHT PER FOOT		PHOGRAM		O	
12 1/4"	8 5/8"	24#		Comor		QUANTITY OF CEMENT	
7 7/8"	51/2"	17#	+/- 400		nt to Surface		
	· · · · · · · · · · · · · · · · · · ·		+/-7,750		nt calc to Su		
O Milanda	74" Hole with an	air rig to 400', run a	8 5/8" , H-40 ca	ising and c	ement to su	ırface.	
2. No and p	ressure test BOP	stack (Attachment	#2) prior to drillin	g out belov	v surface pi	pe.	
		nd blind rams as pos					
4. Drill a / /	/8" note to 7,750)' with a salt water m	ud system. No o	ores are p	lanned. DS	T's will be run as	
	o evaluate unexp					0345	700
5. Run logs,	set 5 1/2", 17# N	N 80 & K-55 casing a	as dictated by dr	illing shows	s, test, and	logs. Casing	1991 1991
program	may be modified	to provide added bu	rst strength if ne	eded for fr	ac program	. A NOV	선 경 시
6. Primary z	ones of interest a	are the Wasatch, Cha	apita Wells & Uta	land Rutte		18 NOV	7007
7. All zones	indicating potent	ial for economically i	ecoverable rese	rves will be	e tested in a	norma	1091
prudent r	nanner.	•				[8	13
8. In the eve	nt of lost circulat	ion, air or air assiste	d mud will be uti	lized		 	8
FORMATION		DEPTHS	bo un			182	<u>_</u> \$/
Wasatch		4,850'			CC	INITIDITY	-46/8
Chapita Well		5,550'			U	MI INCLUSION	500
Uteland Butte		6,650'					
		•					
IN ADDVE SEA	CE DESCRIBE PRO	pectfully requests the DPOSED PROGRAM: If proposal is to drill or deepter program, if any.	' DI'ODOSSI IS TO GOOR	an ar alua b	ank aire date	pe held confidential. a on present productive zo surface locations and me	one and easured and true
SIGNED	Doss H. Bourge		TITLE	Supervisor	, Drlg. Eng.]	DATE 11/4/91
(This space for PERMIT NO.	Federal or State of	see heet by	PPROVAL DATE	Д0010Т	ANT DISTRICT	<u> </u>	
APPROVED BY		1 Course	TITLE -	LOSIO1/	ANT DISTRICT	DE	C 1 9 1991
CONDITION	SOF APPROVAC	FANY:	-	But in the	الرادة فالمحمد المناسبة		
		*See Instructions O					
Title 18 U.S.C.	Section 1001, make	s it a crime for any pers	on knowingly and w	rillfully to ma	ke to any dep	artment or agency of the	United States an
raise fictitious o	r rraudulent stateme	ents or representations a	as to any matter wit	hin its jurisdi	ction.	Chautiner of Contract	are the commence
,		NOT	ice of app	ROVAL	-	TO OPERATOR	'S COPY

CONDITIONS OF APPROVAL FOR THE APPLICATION FOR PERMIT TO DRILL

Company/Operator CNG Producing Company

Well Na	umber <u>15-10E</u>	
Lease 1	U-013792	
Locatio	E Sec. <u>10</u> T. <u>10S.</u> R. <u>19E.</u>	
Surface	Owners	ship <u>Federal</u>
		NOTIFICATION REQUIREMENTS
Location Construction	-	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion	-	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well.
Casing String and	-	at least twenty-four (24) hours prior to running Cementing casing and cementing all casing strings.
BOP and Related	<u></u>	at least twenty-four (24) hours prior to initiating Equipment Tests pressure tests.
First Production	-	within five (5) business days after new well begins Notice or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITION OF APPROVAL

The Interior Board of Land Appeals (IBLA) has ruled that the decision to approve an APD may be appealed under 43 CFR Part 4.21(a), by adversely affected parties. These appeal rights are further modified by 43 CFR Part 3165.3(b) which makes the decision, if contested, first subject to a State Director Review.

A <u>Plan Conformance/NEPA Compliance Record</u> has been completed on this Application for Permit to Drill (APD).

If the decision to approve the APD is contested under 43 CFR Part 3165.3(b), the operator will be immediately notified that no further action can be taken (unless otherwise directed by the authorized officer for protection of surface and subsurface resources) and cannot be resumed until the State Director has issued a decision on the Review. If the State Director rules favorably, the operator may be authorized to resume activities, but must recognize there is still the risk under 43 CFR Part 4.21(a) of an appeal to IBLA.

Any adversely affected party who contests a decision of the Authorized Officer may request an administrative review before the State Director. Such requests, including all supporting documentation, shall be filed with the appropriate State Director within twenty (20) business days from the date such decision was considered received. Upon request and showing good cause, an extension for submitting supporting data may be granted by the State Director. Requests for administrative review should be sent to: State Director, Bureau of Land Management, Utah State Office, P.O. Box 45155, Salt Lake City, Utah 84145-0155.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company	CNG Pro	oducing	Compa	ny		Well No	. RBU	15-10E
Location	SWSE,	Section	10,	T10S,	R19E	Lease N	10. <u>U</u> -	013792

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to if air is used as the principle drilling medium, i.e., if the rig mud pumps are not being utilized while drilling.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at \pm 1955 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) for the intermediate and production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka Petroleum Engineer	(801)	781-1190
Ed Forsman Petroleum Engineer	(801)	789-7077
BLM FAX Machine	(801)	789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

SURFACE STIPULATIONS

Existing road is to be relocated to the west edge of the pad.

Corners #8 and #2 (NW and NE corners) are to be rounded off in order to avoid placing fill into the wash. About 25' at corner 2 and 15' at corner 8. Topsoil is to be stored near the southwest corner to avoid the washes.

Flowline is planned to follow existing road north to well 9-10E about 1,800 feet. Well 9-10E is currently a producing well.

CONDITIONS OF APPROVAL FOR FLOWLINE CONSTRUCTION

- 1. No blading will be allowed on surface pipelines.
- 2. Vehicle use will be restricted to the pipeline route. It would be preferable if the pipe were welded in central staging areas and then dragged across the ROW with a CAT.
- 3. The Book Cliffs Resource Area minerals staff will be notified 24 hours prior to starting construction.
- 4. All surface lines will be either black or brown in color.
- Construction of the pipeline will not occur during periods of wet soil conditions.
- 6. If any cultural resources are found during construction, all work will stop and the Vernal District BLM office will be notified.
- 7. The metering of all gas will be done in accordance with Onshore Order No. 5.

The area has been identified as having critical to severe soil erosion conditions. In order to minimize watershed damage during wet and muddy periods, the Book Cliffs Area Manager may prohibit surface disturbing activities. This limitation does not apply to maintenance and operation of producing wells.

December 19, 1991

DEC 2 0 1991

Mr. Ed Forsman
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RBU 15-10E 43-047-32139 10S, 19E, Stc. 10 DIVISION OF OIL GAS & MINING

RE: Archeological - Environmental Reports for River Bend Unit RBU 8-2F, RBU 5-17E, RBU 3-3E, RBU 15-10E, RBU 1-20E, RBU 13-23E, RBU 5-24E, RBU 15-13E, RBU 14-18F, RBU 1-25E, RBU 7-15E, RBU 8-18F, RBU 3-16F, and RBU 13-10F

Dear Ed:

Enclosed please find archeological reports for the above captioned wells. Shirley Finn is on vacation and I wasn't sure if she had sent you copies of these reports before she left, so I sent them again in case she did not. Better safe then sorry as the saying goes.

If there is anything I can do from my end to make the processing of these applications easier, please do not hesitate to let me know. I realize that you must be swamped with applications this time of the year with everyone trying to spend their budget money.

If you have any questions or need any further information, please feel free to contact me at (504) 593-7260 or our project engineer, David Linger, at (504) 593-7779. Have a safe and happy holiday!

Sincerely,


Susan M. Hebert

Regulatory Reports Asst. II

Enclosure

cc: Tammy Searing

Utah Board of Oil, Gas & Mining



Department of the Interior Bureau of Land Margement Utah State Office (AERC FORMAT) Summary Report of Inspection for Cultural Resources	Project Authorization No .U.9.1.A.F.7.7.8.b Report Acceptable Yes No Mitigation Acceptable Yes No Comments:
WILD HORS 1	E BENCH LOCATIONS
2. Developmentompany	N - UNITS 3-3E, 15-10E, 15-13E, 7-15E, 5-24E, 1-25E, 8-2F, 5-17F, 8-18F, 14-18F
1 2 6 1 9 9 1 3. Report Date	IIT_01_51027
5. Responsible Institution	CNG-91-10 Uintah
6. Fieldwork 1 0 S Location: TWN RNG . 7. Resource 1 0 S Area TWN RNG . B.C. 1 0 S TWN RNG .	Section
proposed access routes by walking Ten acre parcels were examined arc	edures: The archeologist, F.R. Hauck, and ntensively examined these units and the a series of 10 to 20 meter-wide transects. Ound the following locations: (see page 2)
O linean Miles Summaned	I 10. Inventory Type R = Reconnaissance I = Intensive S = Statistical Sample
11. Description of Findings: Two cultural resource sites were during the survey. These sites i 42UN 1951 and 42UN 1952 (see page	nclude 13. Collection v
14. Actual/Potential National Register The National Register of Historic registered properties will be affect	Properties Affected: Places (NRHP) has been consulted and noted by the proposed development (see pg. 2)
15. Literature Search, Location/ Date:	Utah SHPO 11-14-91 Vernal District Office Records 11-20-91
16. Conclusion/ Recommendations: AERC recommends that a cultural recompany for these proposed develop (see page 2).	source clearance be granted to CNG Producing ments based on the following stipulations:
17. Signature of Administrator & Field Supervisor	Administrator Lande
UT 8100-3 (2/85)	Field Supervisor



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 853 Bountiful, Utah 84010 Tel: (801) 292–7061, 292–9668

December 4, 1991

Subject:

CULTURAL RESOURCE EVALUATIONS OF PROPOSED WELL LOCATIONS IN THE WILD HORSE BENCH - COTTONWOOD WASH LOCALITIES OF UINTAH COUNTY, UTAH

Project:

CNG PRODUCTION CO. -- 1991 Development Program for Units 8-2F, 5-17F, 3-3E, 15-10E, 1-20E, 13-23E, 5-24E, 15-13E, 14-18F, 1-25E, 7-15E, and 8-18F

Project No.:

CNG-91-10

Permit No.:

Dept. of Interior -- UT-91-54937

Utah State Project No.: UT-91-AF-778b


To:

Mr. Darwin Kulland, CNG Producing Company, P.O. Box 1360, Roosevelt, Utah 84066

Mr. David Little, District Manager, Bureau of Land Management, 170 South 500 East, Vernal, Utah 84078

Info:

Antiquities Section, Division of State History, 300 Rio Grande, Salt Lake City, Utah 84101



DIVISION OF OIL GAS & MINING 3-3E, 15-10E, 7-15E, 1-20E, 1-25E, 8-18F, AND 14-18F. alternative access route was examined into Unit 8- which was examined by ABAC several months ago and reported October 29, 1991 (cf., UT-91-AF-636bs). The following locations and access routes were originally evaluated by AERC several years ago, their newly staked pads and access routes were revisited during this project to insure that they were still located within the surveyed areas: 13-23E (cf., UT-88-AF-194bs), 15-13E (cf., UT-86-AF-827b), 5-24E (cf., UT-86-AF-209b), 5-15F (cf., AERC Paper No. 18 -- MAPCO Sample Unit 166 [Norman and Hauck Final Report on the Mapco River Bend Cultural Mitigation Study, dated June 1980]).

11. continued:

Site Descriptions: Site 42UN 1951 consists of a lithic scatter that is partially exposed in the south facing slope and terrace directly above the drainage channel. This site measures ca. 30 x 40 meters in size and contains a wide assortment of lithic types in a moderate density. The site is primarily a core reduction locus where localized slate, green mudstone, brown chert, quartzite cobbles and white-red, brown, or clear cherts were reduced. The number of secondary flakes on this site indicate biface preparation also occurred. Only three tools observed, two choppers and a biface fragment. No features observed.

Site 42UN 1952 consists of a buried open occupation that is identifiable primarily by the presence of oxidized sandstone fragments which have been partially exposed in dune matrices. This site measures ca. 50 x 150 meters in size and is found in three distinct units. Unit A is on the sandy bluff that has been undercut by the channel and measures ca. 20 x 30 meters and contains intrusive sandstone and slate. Some of the sandstone fragments exhibit oxidization. Unit B is a 10 x 15 meter dispersed scatter of oxidized sandstone and shale fragments on the site's western periphery and the south base on the ledge. Unit C is a 10 x 20 meter dispersed scatter of oxidized sandstone fragments and two oxidized cobbles (one is a mano) on the site's eastern periphery at the base of the ledge about 40 meters west of the road. Units B and C appear to be mostly buried in sand deposits resulting from the decomposition of the ledge that marks the northern periphery of this site. No evidence of cultural material was observed along the ledge base between Units B and C. No diagnostic artifacts or intact features observed.

14. continued:

Site 42UN 1951 is outside the pad area. The access route passes ca. 25 meters SE and outside of the site's southeastern periphery.

Site 42UN 1952 is well outside the development zone and could only be disturbed by secondary activities, e.g., vandalism. Secondary destruction is not anticipated however, since this site is not readily identifiable.

16. continued:

- 1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the locations examined as referenced in this report, and to the existing roadways and/or evaluated access routes. This restriction is especially pertinent to the development and use of the access route into Unit 14-18F.
- 2. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.
- 3. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to elocate or otherwise alter the location of the exploration area.



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 853 Bountiful, Utah 84010 Tel: (801) 292-7061, 292-9668

December 4, 1991

Subject:

CULTURAL RESOURCE EVALUATIONS OF TWO PROPOSED

UTE TRIBAL WELL LOCATIONS IN THE WILLOW CREEK

CANYON LOCALITY OF UINTAH COUNTY, UTAH

Project:

CNG PRODUCING COMPANY -- 1991 Development

Program - Units 3-16F and 13-10F

Project No.:

CNG-91-11

Permit No.:

Dept. of Interior -- UT-91-54937

Utah State Project No.: UT-91-AF-779i

To:


Mr. Darwin Kulland, CNG Producing Company, P.O. Box 1360, Roosevelt, Utah 84066

Mr. Roland McCook, Bureau of Indian Affairs, P.O. Box 190, Fort Duchesne, Utah 84026

Mr. Jay MountainLion, Ute Indian Tribe, Energy & Minerals Dept., P.O. Box 190, Fort Duchesne, Utah 84026

Info:

Antiquities Section, Division of State History, 300 Rio Grande, Salt Lake City, Utah 84101



GENERAL INFORMATION:

On November 19, 1991, F. Richard Hauck and Lance Harding of AERC conducted cultural resource evaluations of two proposed well locations for CNG Production of Roosevelt, Utah. This project is on Ute Tribal lands in the Willow Creek locality of Uintah County. Mr. Jay MountainLion of the Energy & Minerals Department accompanied the evaluations.

1

The proposed well units are as follows:

Ute Tribal Unit No. 13-10F

Unit No. 13-10F is located in the SW 1/4 of Section 10, Township 10 South, Range 20 East, Salt Lake Base & Meridian. This location is immediately adjacent to the existing roadway in Willow Creek.

Ute Tribal Unit No. 3-16F

Unit No. 3-16F is located in the NW 1/4 of Section 16, Township 10 South, Range 20 East, Salt Lake Base & Meridian. This location is accessible via a .2 mile-long access route from the existing roadway.

The project areas are at the 4800 and 5000 foot elevations above sea level. These units are situated in the Atriplex community. The Atriplex community is dominated by Atriplex spp., Chrysothamnus nauseosus, and Sarcobatus vermiculatus.

FILE SEARCH: A records search was conducted on 11-14-91 at the Antiquities Section of the Utah State Division of History in Salt Lake City. This search provided information that no previously recorded cultural resources are situated in the immediate development areas. No known National Register sites are situated in the project area.

RESEARCH METHODS: To conduct the current evaluation, the archaeologists walked a series of 10 to 15 meter wide transects across the potential well locations including buffer zones around each periphery. These intensive surveys included about three acres at each location.

Double 20 meter-wide transects were walked along the staked access route associated with Unit 3-16F.

<u>RESULTS:</u> No historic or prehistoric activity areas or isolated artifacts were found in association with the two proposed well locations or the access route into Unit 3-16F.

CONCLUSION AND RECOMMENDATIONS: The proposed development of the two units will have no adverse effect on the existing cultural resource sites in their general vicinities with compliance to the recommendations provided in this report. AERC recommends that a cultural resource clearance be granted to CNG Production relative to the development and production of these proposed well locations based upon adherence to the following stipulations:

- 1. all vehicular traffic, personnel movement, construction should be confined to the surfaces examined as referenced in this report, and to the existing roadways and/or evaluated access routes;
- 2. all personnel should refrain from collecting artifacts and from disturbing any cultural resources in the area; and
- the authorized official should be consulted should cultural remains from subsurface deposits be exposed during the development program or if the need arises to relocate or otherwise alter the location of the construction area.

J. Richel Hanck F. Richard Hauck. Ph.D. President and Principal Investigator

Form 3160-5

DEPARTMENT OF THE INTERIOR

(This space for Federal or State office use)

Conditions of approval, if any:

Title

Approved by

M APPROVED BUDGET BUREAU NO. 1004-0135 **BUREAU OF LAND MANAGEMENT** EVDIDED: MADOU 21 1002

	FINES.	MANUT	31, 195	13	
5.	Lease	Designati	on and	Serial	Ñο.
1					

5.	Lease Designation and	i Serial	Ñο.
	U-013792		

	NURY NOTICES AND REPORT		U-013792
Do not use this form for proposals to drill or to deepen or reentry to a			6. If Indian, Allottee or Tribe Name
different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals			, , , , , , , , , , , , , , , , , , , ,
	SUBMIT IN TRIPLICAT		
1. Type of V	Vell		7. If Unit or GA, Agreement Designation
	[X] Gas Well [] Other		River Bend Unit
2. Name of			8. Well Name and No.
	ODUCING COMPANY		15-10E
	and Telephone No.		9. API Well No.
	wer - 1450 Poydras Street, Nev	V Orleans A 70119_6000	43-047-32/39
4. Location	of Well (Footage, Sec., T., R., N	A. or Survey Description)	10 Field and Beal on Fundament
Surface	723' FSL & 2,342' FEL of Sec	: 10-T10S-R19F	10. Field and Pool, or Exploratory Area
	-,		
			11. County or Parish, State
- to	CHECK APPROPRIATE BOX	S) TO INDICATE NATURE OF NO	Uintah, Utah TICE, REPORT, OR OTHER DATA
	TYPE OF SUBMISSION	TVE	PE OF ACTION
	[] Notice of Intent	[] Abandonment	
	.,	[] Recompletion	[] Change of Plans
	[X] Subsequent Report	[] Plugging Back	[] New Construction
	[··] 	[] Casing Repair	[] Non-Routine Fracturing
	[] Final Abandonment Notice	I 1 Altering Casing	[] Water Shut-Off
		[X] Other – Amend Drilling	[] Conversion to Injection
		Permit	[] Dispose Water
		1 Emil	(Note: Report results of multiple
			completion on Well Completion or
13. Describe	e Proposed or Completed Open	ations (Clearly state all pertinent o	Recompletion Report and Log form.)
including	estimated date of starting any	proposed work. If well is direction	ally drilled, give pertinent dates,
and meas	sured and true vertical denths f	or all markers and zones pertinen	any drined, give subsurface locations
	uzp	or all markers and zones pertinen	t to the work.)
We will i	not be using pit volume totalize	r equipment on the above referen	ced well.
lf you h≥	ave any questions or need any	further information, please feel fre	e to DECENTAIN
contact	either myself at (504) 592-376	Popour Project Andineer, David Li	nger, at NEW CILL
(504) 59	3-7779. AUCLI -	H DIVISION OF	•
	OF UIA	S, AND MINING	FEB 0 3 1992
	OIL, GA	S, AND MILL	
	DATE:	4-90	DIVISION OF
	1	an withing	OIL GAS & MINING
	BY:	71 / 1000	Commented (T. Militalde)
14. I hereby	certify that the forgoing is true	and correct	
Signed	Susan M. Webert Title	Regulatory Reports Asst. II Date	e January 29, 1992
	Susan M. Hebert		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Date

CNG Producing Company

A CNG COMPANY

CNG Tower 1450 Poydras Street New Orleans, LA 70112 6000 (504) 593-7000

February 6, 1992

Mr. Ed Foreman
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RE: RBU 15-10E 43-047-32139 Section 10-T108-R19E Lease No. U-013792

Dear Ed:

Please accept this letter as evidence that CNG Producing Company would like to rescind the original approved permit for the above referenced well. This well was originally staked 1,839' FEL & 663' FSL of Sec. 10-T10S-R19E. The well has been restaked 723' FSL & 2,342' FEL of Sec. 10-T10S-R19E and a new Application for Permit to Drill has been submitted.

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, David Linger, at (504) 593-7779. I'm sorry if this has caused you any confusion inconvenience. Thank you for your continued cooperation in this matter.

Sincerely,

Susan M. Hebert Susan M. Hebert Regulatory Reports Asst. II

Co: Tammy Searing - Utah Board of Oil, Gas & Mining Brian Coffin Darwin Kulland David Linger Cathe Sullivan RE I files

CNG Producing Company

February 6, 1992

FEB 1 0 1592

Mr. Ed Forsman
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

DIVISION OF OIL GAS & MINING

RE: RBU 15-10E

Section 10-T10S-R19E Lease No. U-013792

Dear Ed:

Please accept this letter as evidence that CNG Producing Company would like to rescind the original approved permit for the above referenced well. This well was originally staked 1,839' FEL & 663' FSL of Sec. 10-T10S-R19E. The well has been restaked 723' FSL & 2,342' FEL of Sec. 10-T10S-R19E and a new Application for Permit to Drill has been submitted.

43-047-32139

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, David Linger, at (504) 593-7779. I'm sorry if this has caused you any confusion or inconvenience. Thank you for your continued cooperation in this matter.

Sincerely,

Susan M. Hebert
Regulatory Reports Asst. II

cc: Tammy Searing - Utah Board of Oil, Gas & Mining Brian Coffin Darwin Kulland David Linger Cathy Sullivan RBU well files

1	OIL AN	ID GAS	,
	RJF		
VI	FRM		e.
	CFO		
	GLI I		, :
	CTO		
2	me		
	Mich	OFILLI	
उ	Fi	LE	



Dee C. Hansen Executive Director Dianne R. Nielson, Ph.D. Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

February 14, 1992

Ms. Susan Herbert CNG Producing Company CNG Tower - 1450 Poydras Street New Orleans, Louisiana 70112-6000

Dear Ms. Herbert:

Re: RBU 15-10E, Sec. 10, T. 10S, R. 19E, Uintah County, Utah, API No. 43-047-32139

Per your request, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval, <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley Administrative Supervisor Oil and Gas

DME

CC:

R.J. Firth

BLM - Vernal

Well file

WOI139



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 U-01470-A et al (UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. 1450 Poydras Street New Orleans, LA 70112-6000 Oil and Gas Leases

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECE

JUN 05 20 1

DIVISION OF OIL, GAS AND HENR cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS Peferonee Data Pr

MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801

Irene Anderson (UT-932) Teresa Thompson (UT-931) LaVerne Steah (UT-942) **Dominion Exploration & Production, Inc.** 1450 Poydras Street, New Orleans, LA 70112-6000 Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson Utah Board of Oil Gas & Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Jusan H. Sachitara

Susan H. Sachitana

Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED


JUN 2 9 2000


DIVISION OF OIL, GAS AND MINING

į	DIVISION OF OIL, GAS & MINING			ation and Serial Number:
SUNDRY NOTICES AND REPORTS ON WELLS		VARIOUS 6. If Indian, Allot	tee or Tribe Name:	
Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.		7. Unit Agreeme	nt Name:	
1. Type of Well:	OIL GAS OTHER:		8. Well Name ar VARIOUS	nd Number:
Name of Operator: DOMINION EXPLORATION & F	PRODUCTION, INC.		9. API Well Num	ber
 Address and Telephone Number 1460 Poydras Street, New Orlea 	г.		10. Field and Poo Natural Buttes	•
Location of Well Footages: QQ, Sec, T., R., M.:	(65)		County: State:	UINTAH UTAH
11.	CHECK APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE	E, REPORT, OR O	THER DATA
	CE OF INTENT MIT IN DUPLICATE)		SUBSEQUEN (Submit Origina	
Abandon	New Construction	Abandon*		New Construction
Repair Casing	Pull or Alter Casing	Repair Casing		Pull or Alter Casing
Change of Plans	Recomplete	Change of Plans		Reperforate
Convert to Injection	Reperforate	Convert to Inject	ion	Vent or Flare
Fracture Treat or Acidize	Vent or Flare	Fracture Treat or	Acidize	Water Shut-Off
Multiple Completion	Water Shut-Off	X Other	OPERATOR NAM	E CHANGE FOR WELLS
Other		Date of work compl	etion	
Approximate date work will start		I	Completion and Recompletio	n to different reservoirs on WELL LOG form.
12	PERATIONS (Clearly State all pertinent details, and give pertinent d	*Must be accompanied by	a cement verification report.	
and would like to transfer the we	April 12, 2000, CNG Producing Company had permits into the name of Dominion Explora The bond number is 76\$ 63050 361.	as changed its name to Do	ur new bond has be	ECEIVED JUN 2 9 2000
13.			OIL	DIVISION OF , GAS AND MINING
	R. Lewis Title:	: Sr. Vice-President - Don	ninion Expl. & Prod.	, Inc. Date: June 26, 2000
(This space for State use only)				

Ameuni Pald:

\$60.00





	Cheek Appropriate Box	
X for	eign Profit Corporation	535.00
∐ For	eign Non-Profit Corporation	\$35.00
☐ For	eign Limited Partnership	\$25.00
☐ For	cign Limited Liability Company	\$ 35.00

Application To Amend The CERTIFICATE OF AUTHORITY OR REGISTRATION of

Division of Corporations & Commercial Code

		CNG Producing Compar	17
	_	Delaware Name of Home State	•
I.	AMENDING THE BUSINESS NAM	1E	
	The business name is changed to: Don	ninion Exploration & Produ	ection, Inc.
	The corporation shall use as its name in	Utah: Dominion Explor	ation & Production, Inc.
NOTE.		(De composion sho	Ill was its name in our last as at column at
	If the business name has changed its name in the ho amendment must accompany this application, he following:	ome state, a copy of the Certif	icate of Amendment or a certified copy of the
Check	M The name of the corporation is changing it's nar	ne in Utah to the new name o	f the corporation in the home state.
	[] The name of the corporation is being changed in	n Utah to comply with Utah S	tate Insurance Regulations.
II.	AMENDING THE DURATION OF	THE BUGINDES BY	(\$TENIOR
h.	The businesses period of duration is cha	anged to:	BIENCE
Ì			
III.	AMENDING THE STATE OR COU	NTRY OF INCORPO	DRATION/REGISTRATION
	The corporation's state or country of inc	corporation/registration	is changed to:
		•	-
ĬV.	Other:		
	(Limited Partnership changing General Partners	Limited Companies changing Men Use an attached sheet if need	mbers or Managers. Change of statement who is managing, ser. 1
Under	penalties of perjury, I declare this Applic	cation to Amend the Ce	rtificate of Authority or Registration to be,
to the b	pest of my knowledge and belief, true an	d correct.	
	Lile-Wille	Vice President & Corp	orate Secretary April 20, 2000
	Signature	" Title	Dena Paris of Communication
			Division of Corporations and Commercial Code
			Hereby pertify that the foresping has been mind
			and approved on this 27day of 2000 in the office of this Division and heraby issue
	STATE OF UTAH		this Certificate thereof.
ļ	DIVISION OF CORPORATIONS		ExaminerOD Date
1	AND COMMERCIAL CODE		-21
1	160 East 300 South / Box 146705		
	Salt Lake City, UT 84114-6705 Service Center: (801) 530-4849		OJENSON
Wet	Site: http://www.commerce.state.ut.us		Date: 04/25/2000
-			Receipt Number: 22156
	FILED	•	,

common\forms\Misc\amendcen Revised 01-14-00 mm UTU22 - 2/19/00 C T System Online

APR 25 2000

Ush Dix Of Corp. & Comm. Code

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
AMY THORPE - USA 1	4303731283	DOMINION EXPLORATION & PR	LA	BLM
KENNETH TAYLOR - USA 1	4303731284	DOMINION EXPLORATION & PR	LA	BLM
TRUDI FED 2-17	4303731453	DOMINION EXPLORATION & PR	PA	BLM
MA IOR MARTIN FED 1	4303731479	DOMINION EXPLORATION & PR	PA	BLM
OSC #3) *	4304730104	DOMINION EXPLORATION & PR	PA .	BLM
NATURAL #1-2 - R B 4	4304730129 4304730153	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-21E	4304730414	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	PA PA	BLM
RBU #11-36B	4304730583	DOMINION EXPLORATION & PR	DA	BLM STATE
FEDERAL #1-26A	4304730716	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #6-30B	4304730733	DOMINION EXPLORATION & PR	PA	BLM
BARTON FEDERAL #1-26	4304731179	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-2D	4304731190	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-2D	4304731353	DOMINION EXPLORATION & PR	PR	STATE
HILL CREEK FEDERAL #1-29 HC L		DOMINION EXPLORATION & PR	PR	BLM
RBU #10X-15E	4304731551	DOMINION EXPLORATION & PR	PA	BLM
HILL CREEK STATE #1-32	4304731560	DOMINION EXPLORATION & PR	UNK	STATE
* CHILL CREEK FEDERAL #1-27	4304731675	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-31B	4304731765	DOMINION EXPLORATION & PR	LA	BLM
STATE #4-36E	4304731777	DOMINION EXPLORATION & PR	PR	STATE
SADDLE TREE DRAW 4-31	4304731780	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 16-31 SADDLE TREE DRAW 13-34	4304731781	DOMINION EXPLORATION & PR	LA	BLM
STATE #12-36E)	4304731782 4304731784	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-10D	4304731784	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	LA PA	STATE
RBU #16-19C	4304731841	DOMINION EXPLORATION & PR	DA	BLM BLM
EVANS FEDERAL #3-25	4304731878	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #41-26	4304731879	DOMINION EXPLORATION & PR	PR .	BLM
STATE #11-36E	4304732019	DOMINION EXPLORATION & PR	PR	STATE
→ RBU #7-13E	4304732051	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-18F	4304732104	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-15F	4304732109	DOMINION EXPLORATION & PR	LA	(BIA)
RBU #7-15F	4304732111	DOMINION EXPLORATION & PR	LA	(BIA)
RBU #7-23E	4304732125	DOMINION EXPLORATION & PR	LA	BLM
RBU #6-19F	4304732126	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-17F	4304732127	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-10E	4304732139	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-15F RBU #3-3E	4304732140	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-3E RBU #5-24E	4304732152 4304732154	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-17F	4304732165	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	LA LA	BLM
RBU #15-13E	4304732167	DOMINION EXPLORATION & PR	LA .	BLM BLM
RBU #3-19FX	4304732216	DOMINION EXPLORATION & PR	LA	BLM
STATE 2-32B	4304732221	DOMINION EXPLORATION & PR	PR S	STATE
STATE #5-36B	4304732224	DOMINION EXPLORATION & PR	PR	STATE
FEDERAL #13-26B	4304732237	DOMINION EXPLORATION & PR	PR :	BLM
STATE #9-36B	4304732249	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-21F	4304732262	DOMINION EXPLORATION & PR	LA	BLM
RBU #4-15F	4304732269	DOMINION EXPLORATION & PR	PA	(BIA)
RBU #1-3E	4304732272	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-9E	4304732273	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-10E	4304732291	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-23E RBU #13-19F2	4304732294	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-19F2 RBU #12-2F	4304732311 4304732316	DOMINION EXPLORATION & PR	LA S	BLM
RBU #7-20E	4304732332	DOMINION EXPLORATION & PR		
RBU #13-34B	4304732334	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	LA PA	BLM BLM
RBU #9-20E	4304732335	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-19F	4304732360	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-23F	4304732361	DOMINION EXPLORATION & PR	LA	BLM
EVANS FEDERAL #12-25A	4304732394	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #32-26	4304732395	DOMINION EXPLORATION & PR		BLM.
STATE #2-36D	4304732404	DOMINION EXPLORATION & PR	LA	STATE
STATE #9-36E	4304732405			STATE
			RECEIV	(EI)
		•		-

JUN 2 9 2000 DIVISION OF

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change Only

Merger

ROUTING:	
***** *******************************	4-KAS V
2-CDW	516170 V
3-JLT	6-FILE

The operator of the well(s) listed below has changed, **effective**: 4-12-00

TO:(New Operator) <u>DOMINION EXPL & PROD INC.</u>

Address:

1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000

Account No. N1095

FROM:(Old Operator) CNG PRODUCING COMPANY

Address: 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000

Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	1		Unit
Name: NATURAL 1-2	API:_	43-047-30153	Entity: 11377	S 02 T 10S	R 20E	Lease: ML-10716
Name: <u>RBU 11-21E</u>	API:_	43-047-30414	Entity: 9010	S 21 T 10S	R 19E	Lease: U-013766
Name: <u>RBU 11-31B</u>	API:_	43-047-31765	Entity: 9010	S 21 T 10S	R 19E	Lease: U-013766
Name: <u>RBU 3-10D</u>	API:_	43-047-31832	Entity: <u>4955</u>	S 10 T 10S	R_18E	Lease: U-013818-A
Name: <u>RBU 16-19C</u>	API:	43-047-31841	_ Entity: <u>4955</u>	S 10 T 10S	R 18E	Lease: U-013818-A
Name: <u>RBU 7-13E</u>	API:_	43-047-32051	Entity: 7050	S 13 T 10S	R 19E	Lease: U-013765
Name: <u>RBU 7-18F</u>	API:_	43-047-32104	Entity: <u>99998</u>	S 18 T 10S	R 20E	Lease: <u>U-013769</u>
Name: <u>RBU 7-23E</u>	API:_	43-047-32125	Entity: <u>99998</u>	_S_23_T_10S	R 19E	Lease: <u>U-01376</u>
Name: <u>RBU 6-19F</u>	API:_	43-047-32126	Entity: 99998	S 19 T 10S	R 20E	Lease: U-013769A
Name: <u>RBU 3-17F</u>	API:_	43-047-32127	Entity: <u>7050</u>	_S <u>17</u> _T <u>10S</u>	R 20E	Lease: <u>U-013769C</u>
Name: <u>RBU 15-10E</u>	API:_	43-047-32139	Entity: <u>99998</u>	S 10 T 10S	_R_19E	Lease: <u>U-013792</u>
Name: <u>RBU 3-15F</u>	API:_	43-047-32140	Entity: <u>99998</u>	_S <u>15</u> _T <u>10S</u>	R 20E	Lease: <u>U-7206</u>
Name: RBU 3-3E	API:_	43-047-32152	Entity: <u>99998</u>	_S <u>03</u> _T <u>10S</u>	R 19E	Lease: <u>U-013765</u>
Name: <u>RBU 5-24E</u>	API:	43-047-32154	Entity: 7050	S 24 T 10S	R 19E	Lease: U-013794
Name: <u>RBU 5-17F</u>	API:	43-047-32165	Entity: <u>99998</u>	S 17 T 10S	R 20E	Lease: U-013769C
Name: <u>RBU 15-13E</u>	API:	43-047-32167	Entity: 7050	S 13 T 10S	R 19E	Lease: U-013765

A 214 92

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on <u>6-29-00</u>
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00
- YES 4. The new company has been looked up in the **Department of Commerce**, **Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State?

 Yes/No If yes, the company file number is **SEE ATTACHED**If no, Division letter was mailed to the new operator on ______.

<u>YES</u> 5.	Federal and Indian Lease Vells. The BLM or the BIA has approved the merger, name change or operator change for all wells listed to be involving Federal or Indian leases on 6-2-00.				
<u>N/A</u> 6.	Federal and Indian Units. The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on				
<u>N/A</u> 7.	Federal and Indian Communitization Agreements ("CA"). The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on				
<u>N/A</u> 8.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.				
<u>YES</u> 9.	Changes have been entered in the Oil and Gas Information System for each well listed on <u>7-25-00</u> .				
<u>YES</u> 10.	Changes have been included on the Monthly Operator Change letter on				
STATE BO	ND VERIFICATION				
<u>N/A</u> 1.	State Well(s) covered by Bond No				
FEE WELI	S - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION				
<u>N/A</u> 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.				
<u>N/A</u> 2.	A copy of this form has been placed in the new and former operator's bond files on				
<u>N/A</u> 3.	The FORMER operator has requested a release of liability from their bond as of todays date? If yes, Division response was made to this request by letter dated (see bond file).				
<u>N/A</u> 4.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated, of their responsibility to notify all interest owners of this change.				
<u>N/A</u> 5.	Bond information added to RBDMS on				
<u>N/A</u> 6.	Fee wells attached to bond in RBDMS on				
FILMING					
1.	All attachments to this form have been microfilmed on <u>02-23-6(</u> .				
FILING					
1.	Originals/Copies of all attachments pertaining to each individual well have been filed in each well file.				
2.	The original of this form has been filed in the operator file and a copy in the old operator file.				
COMMEN	rs				
· · · · ·					